

Hankook-akut Tekniset tiedot



HANKOOK[®]
POWER CONTROL

K27
Battery



Huoltovapaat Hankook Kalsium SMF-akut

| Tuotekoodi 936- | Kapasiteetti Ah (20h) | CCA -18 C EN | Pituus mm | Leveys mm | Korkeus mm | Napa-sijainti | Napamalli | Pohja-kiinnitys | Paino n. kg, märkä |
|-----------------|-----------------------|--------------|-----------|-----------|------------|---------------|-----------|-----------------|--------------------|
| 54321 | 45 | 450 | 208 | 174 | 175 | 0 | 0 | B3(B4) | 12,1 |
| 54459 | 44 | 390 | 208 | 174 | 190 | 0 | 0 | B3(B4) | 12,0 |
| 54523 | 45 | 360 | 234 | 127 | 220 | 0 | 0 | - | 12,3 |
| 54524 | 45 | 360 | 234 | 127 | 220 | 1 | 0 | - | 12,3 |
| 54584 | 45 | 360 | 234 | 127 | 220 | 0 | 3 | - | 12,1 |
| 55457 | 54 | 480 | 242 | 174 | 175 | 0 | 0 | B3(B4) | 14,3 |
| 55531 | 55 | 480 | 242 | 174 | 190 | 0 | 4F | B3(B4) | 14,7 |
| 55559 | 55 | 480 | 242 | 174 | 190 | 0 | 0 | B3(B4) | 14,7 |
| 55565 | 55 | 480 | 242 | 174 | 190 | 1 | 0 | B3(B4) | 14,7 |
| 56048 | 60 | 480 | 266 | 172 | 220 | 0 | 0 | B1 | 17,2 |
| 56049 | 60 | 480 | 266 | 172 | 220 | 1 | 0 | B1 | 17,2 |
| 56068 | 60 | 480 | 230 | 172 | 220 | 0 | 0 | B1 | 16,1 |
| 56069 | 60 | 480 | 230 | 172 | 220 | 1 | 0 | B1 | 16,1 |
| 56077 | 60 | 510 | 242 | 174 | 175 | 0 | 0 | B3(B4) | 15,0 |
| 56219 | 62 | 540 | 242 | 174 | 190 | 0 | 0 | B3(B4) | 15,9 |
| 56221 | 62 | 540 | 242 | 174 | 190 | 0 | 4F | B3(B4) | 15,4 |
| 56638 | 66 | 540 | 277 | 174 | 190 | 0 | 0 | B3(B4) | 17,3 |
| 56828 | 68 | 570 | 277 | 174 | 175 | 0 | 0 | B3(B4) | 17,8 |
| 57024 | 70 | 540 | 266 | 172 | 220 | 1 | 0 | B1 | 18,6 |
| 57029 | 70 | 540 | 266 | 172 | 220 | 0 | 0 | B1 | 18,6 |
| 57113 | 72 | 640 | 277 | 174 | 175 | 0 | 0 | B3(B4) | 18,8 |
| 57220 | 72 | 610 | 277 | 174 | 190 | 0 | 0 | B3(B4) | 18,6 |
| 58000 | 80 | 800 | 315 | 174 | 175 | 0 | 0 | B3(B4) | 20,4 |
| 58043 | 80 | 640 | 315 | 174 | 190 | 0 | 0 | B3(B4) | 20,9 |
| 59518 | 95 | 720 | 302 | 172 | 220 | 0 | 0 | B1 | 22,1 |
| 59519 | 95 | 720 | 302 | 172 | 220 | 1 | 0 | B1 | 22,1 |
| 60038 | 100 | 850 | 354 | 174 | 190 | 0 | 0 | B3(B4) | 23,8 |

Hankook AGM-akut

| Tuotekoodi 936- | Kapasiteetti Ah (20h) | CCA -18 C SAE | Pituus mm | Leveys mm | Korkeus mm | Napa-sijainti | Napamalli | Pohja-kiinnitys | Paino n. kg, märkä |
|-----------------|-----------------------|---------------|-----------|-----------|------------|---------------|-----------|-----------------|--------------------|
| 59520 | 95 | 850 | 352 | 174 | 190 | 0 | 0 | B3(B4) | 24,9 |


Akut USA-autoihin

| Tuotekoodi 936- | Kapasiteetti Ah (20h) | CCA -18 | Pituus mm | Leveys mm | Korkeus mm | Napa-sijainti | Napamalli | Pohja-kiinnitys | Paino n. kg, märkä |
|-----------------|-----------------------|-----------|-----------|-----------|------------|---------------|-----------|-----------------|--------------------|
| 75550 | 60 | 550 (SAE) | 230 | 179 | 180 | 1 | S | B1 | 15,5 |
| 78600 | 65 | 600(SAE) | 260 | 179 | 180 | 1 | S | B1 | 17,0 |
| 78670 | 75 | 670(SAE) | 260 | 179 | 180 | 1 | S | B1 | 18,3 |


Vähähuoltoiset akut

| Tuotekoodi 935- | Kapasiteetti Ah (20h) | CCA -18 C EN | Pituus mm | Leveys mm | Korkeus mm | Napa-sijainti | Napamalli | Pohja-kiinnitys | Paino n. kg, märkä |
|-----------------|-----------------------|--------------|-----------|-----------|------------|---------------|-----------|-----------------|--------------------|
| 60527 | 105 | 680 | 342 | 172 | 239 | 1 | 0 | - | 29,9 |
| 60528 | 105 | 680 | 342 | 172 | 239 | 0 | 0 | - | 29,9 |
| 62512 | 125 | 720 | 342 | 172 | 284 | 0 | 0 | - | 31,6 |
| 62514 | 125 | 720 | 342 | 172 | 284 | 1 | 0 | - | 31,6 |
| 63511 | 135 | 680 | 519 | 206 | 204 | 3 | 0 | - | 37,9 |
| 64021 | 140 | 760 | 512 | 186 | 216 | 3 | 0 | B3/B4 | 35,6 |
| 67018 | 170 | 1000 | 512 | 220 | 217 | 3 | 0 | - | 41,9 |
| 73011 | 230 | 1200 | 512 | 275 | 236 | 3 | 0 | - | 61,8 |


Vene- ja vapaa-ajanakut

| Tuotekoodi 936- | Kapasiteetti Ah (20h) | CCA -18 C SAE | Pituus mm | Leveys mm | Korkeus mm | Napa-sijainti | Napamalli | Pohja-kiinnitys | Paino n. kg, märkä |
|-----------------|-----------------------|---------------|-----------|-----------|------------|---------------|-----------|-----------------|--------------------|
| 73600 | 73 | 600 | 257 | 172 | 220 | 1 | Tupla | B1 | 18,7 |
| 86800 | 86 | 720 | 257 | 172 | 220 | 1 | Tupla | B1 | 18,1 |
| 10080 | 100 | 800 | 325 | 172 | 220 | 1 | 0 | B1 | 23,5 |




Huoltovapaat K27 Kalsium SMF-akut

| Tuotekoodi 936- | Kapasiteetti Ah (20h) | CCA -18 C EN | Pituus mm | Leveys mm | Korkeus mm | Napa-sijainti | Napamalli | Pohja-kiinnitys | Paino n. kg, märkä |
|-----------------|-----------------------|--------------|-----------|-----------|------------|---------------|-----------|-----------------|--------------------|
| 5604827 | 60 | 480 | 266 | 172 | 220 | 0 | 0 | B1 | 17,2 |
| 5604927 | 60 | 480 | 266 | 172 | 220 | 1 | 0 | B1 | 17,2 |
| 5606827 | 60 | 480 | 230 | 172 | 220 | 0 | 0 | B1 | 16,1 |
| 5621927 | 62 | 480 | 242 | 174 | 190 | 0 | 0 | B3(B4) | 15,9 |
| 5682827 | 68 | 480 | 277 | 174 | 175 | 0 | 0 | B3(B4) | 17,4 |
| 5722027 | 72 | 640 | 277 | 174 | 190 | 0 | 0 | B3(B4) | 18,6 |
| 6003827 | 100 | 800 | 354 | 174 | 190 | 0 | 0 | B3(B4) | 23,8 |


Napamallit

Tyyppi 0
Normaalinapa




Mitat mm


Tyyppi 3
Pieninapa



Tyyppi 4F/litteä ruuvikiinnitys




Tuplanapa



S = sivunapa 3/8"

Pohjakiinnityskaava



Napasijainti 12 V

