OSRAM

LEDinspect PRO SPACE 1000

Inspection lights





1000 lm + 2x500 lm

Bright, white light by high performance

LEDs



Operating time of up to 5 h (high) / up to 10 h (low) / up to 12 h (flashing)



Water- and dirt repellent

Protection against the ingress of particles with $\emptyset \ge 1.0$ mm and against splash water according to IP44 / IK06

Product family datasheet



Light is versatile

This high-quality inspection lamp was developed especially for professional and private use. For a wide range of applications such as universal use and independently illuminated areas in the garage and workshop. With three light functions, high, low and flashing, 36 LEDs (main light) 2x12 LEDs (side light), 10 Watt and up to 6000 Kelvin and a rechargeable 3.7 V 3600 mAh Lithium battery (main light) / 3.7 V 1800 mAh Lithium battery (side light) this multifunctional light has an operating time up to operating time up to 4 h (strong) / 10 h (weak) / 12 h (flashing). With IP44 & IK06 protection class, this headlight has protection against the penetration of particles with $\emptyset \ge 1.0$ mm and against splash water. This multifunctional LED work light with an extraordinary design is a multidirectional and multivariable lighting system with rotating, swiveling and even removable individual elements, also has a non-slip and dirt-repellent surface, integrated magnets for attachment for hands-free working and is therefore ideally suited as a flexible work light for illuminating engine compartments, vehicle underbodies, garages and workshops. OSRAM also offers a 2-year warranty on this product*.

Product family datasheet

Technical data

	Product information		Electrical data		Photometrical data	
Product description	Application (Category and Product specific)	Order reference	Nominal wattage	Nominal voltage	Color temper- ature	Luminous flux
INSPECTION LAMP	LED inspection lights for professionals	LEDIL SPACE 1000	20.00 W	3.7 V	6000 K	1000/500 lm

		Dimensions & weight			Colors & materials	
Product description	Light color LED	Length	Width	Height	Product weight	Base color
INSPECTION LAMP	White	262.0 mm	290.0 mm	190.0 mm	1680.00 g	Black

	Lifespan	Additional product data	1	Capabilities	Certificates & standards
Product description	Guarantee	Number of included batteries	Type of Battery	Technology	Standards
INSPECTION LAMP	2 years	n.a.	rechargeable	LED ¹⁾	CE

Product description	Type of protection
INSPECTION LAMP	IP44

¹⁾ Light-emitting diode lamp

Product family datasheet

Download Data

File



User instruction
LEDinspect PRO FLOODER SPACESHIP 1000

Application advice:

For more detailed application information and graphics please see product datasheet.

Disclaimer:

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.